State of Hawaii DEPARTMENT OF LAND AND NATURAL RESOURCES Engineering Division Honolulu, Hawaii 96813

May 13, 2011

Board of Land and Natural Resources State of Hawaii Honolulu, Hawaii

APPLICATION FOR A DLNR DAM SAFETY CONSTRUCTION/ALTERATION PERMIT PERMIT NO. 47 – WAILUA RESERVOIR (KA-0060) DAM REMEDIATION, KAPAA, KAUAI, HAWAII

The Engineering Division hereby submits an application for your approval and authorization for the Chairperson and Department to stipulate conditions and issue a Dam Safety Construction/Alteration Permit for the subject application, "Remediation of the WAILUA RESERVOIR", pursuant to Chapter 179D Hawaii Revised Statutes.

APPLICANT:

Mr. Ernest Y.W. Lau
Public Works Administrator
State of Hawaii
Department of Accounting and General Services
1151 Punchbowl Street, Room 426
Honolulu, HI 96813

LANDOWNER:

Russell Y. Tsuji, Administrator State of Hawaii Department of Land and Natural Resources Land Division 1151 Punchbowl Street, Room 220 Honolulu, HI 96813 TMK: (4) 4-2-001:004, 005 and 008

SUMMARY OF REQUEST:

Application for a Dam Safety Construction/Alteration Permit for the remediation of the Wailua Reservoir, Kapaa, Hawaii, See Exhibit 1.

LOCATION: Kapaa, Kauai, Hawaii, TMK: (4) 4-2-001:004, 005, 008. See Exhibit 2.

BACKGROUND:

The Wailua Reservoir was constructed around 1920 by Lihue Plantation to supply irrigation water to nearby sugarcane fields. The reservoir is currently used to supply irrigation water downstream and managed by the East Kauai Water Users Cooperative, lessee from the State of Hawaii and for recreational fishing.

Page 2 May 13, 2011

The Wailua Reservoir Dam is approximately 40 ft. high, 1,080 ft. long. The dam crest is about 18-22 ft wide. The surface area of the reservoir at the dam crest is approximately 30.6 acres. The reservoir impounds a maximum of 1,221 ac-ft. The existing spillway is an approximately 60-ft wide by 90-ft long earthen channel located at the right abutment. The dam is equipped with two low-level outlets; the primary outlet (Throwaway) is located on the right side of the embankment and has two-30-in outlet tunnels. The secondary outlet (Lateral 1) is located near the left abutment and has one approximately 24-in outlet tunnel. The outlets are equipped with manually operated sluice gates on the upstream end, accessible via a catwalk structure. The gates and catwalk were recently replaced under a separate project by the Department of Agriculture. The reservoir also has an outlet (Main Transmission Line) on the back side of the reservoir to service the ditch system. The dam has a size classification of "intermediate" and hazard potential classification of "high".

A 2009 Phase I Visual Inspection Report by Kleinfelder West, Inc. identified that the dam has an upstream slope with severe erosion, even vertical in places, there were sinkholes and rutting on the crest, and the downstream slope was completely covered with large trees and other undergrowth.

An application for the remediation of the Wailua Reservoir was filed on September 27, 2010 by the State of Hawaii, Department of Accounting and General Services (DAGS), on behalf of the owners, the State of Hawaii, Department of Land and Natural Resources (DLNR).

PROJECT DESCRIPTION:

The owner is proposing to remediate the entire dam structure. The project will include clearing of all the vegetation, extending the downstream slope about 15-ft to 2.5H:1V to facilitate slope maintenance and installation of a drain blanket at the downstream toe, restoration of the upstream embankment and placement of rock slope protection, and widening and lowering of the open-cut spillway. A staff gage and survey monuments will also be installed. See Exhibit 3.

CHAPTER 343 – ENVIRONMENTAL ASSESSMENT:

In accordance with the Division of Land Management's Environmental Impact Statement Exemption List, approved by the Environmental Council dated April 28, 1986, the subject request is considered exempt from the preparation of an environmental assessment pursuant to Exemption Class No. 1 that states: "Operations, repairs or maintenance of existing structures, facilities, equipment or topographical features, involving negligible or no expansion or change of use beyond that previously existing." See Exhibit 4.

REMARKS:

The applicant (DAGS) and their client, DLNR and the applicant's consultant, GEI Consultants, Inc., have completed a basis of design, plans and specifications and requests for the approval of a dam safety construction/alteration permit. The Department and its engineering consultant, Kleinfelder, Inc. have reviewed the documents and concluded that it is sufficient for its intended purposes, (see Exhibit 5). Staff recommends approval of this permit application with the Dam Safety Permit General Conditions (see Exhibit 6) and condition specified under the Special Conditions.

SPECIAL CONDITIONS:

1. Provide adequate evidence that revisions to the original construction drawings and specifications that were submitted and approved by DLNR and reviewed by their consultant, Kleinfelder West, Inc. have been incorporated into the construction work (such as in the form of approved change orders or shop drawings).

RECOMMENDATION:

That the Board:

- 1. Authorize the approval and issuance of the Dam Safety Construction/Alteration Permit for this project; and
- 2. Direct the Chairperson to issue a dam safety permit for the remediation of the Wailua Reservoir (DLNR Dam Safety Construction/Alteration Permit No. 47) subject to such other terms and conditions as may be prescribed by the Chairperson to best serve the interests of the State.
- 3. Authorize the Department to oversee the permitted work and take appropriate action including but not limited to selecting and procuring testing or professional services to verify construction work, approval of minor revisions and changes, issuance of fines and /or revocation of the permit, if necessary.

Respectfully submitted,

CARTY S. CHANG

APPROVED FOR SUBMITTAL:

WILLIAM J. AILA, JR.

wengeley

Chairperson

Exhibit(s):

- 1 Owner Permit Application
- 2 Location map
- 3 Partial Construction Drawing set
- 4 DAGS Right-of-Entry, including Environmental assessment exemption justification (Chapter 343 HRS)
- 5 Kleinfelder, Inc. correspondence on approval of plans (to be provided at Board meeting)
- 6 Dam Safety Permit General Conditions

State of Hawaii BOARD OF LAND AND NATURAL RESOURCES Department of Land and Natural Resources Engineering Division

APPLICATION FOR APPROVAL OF PLANS AND SPECIFICATIONS FOR CONSTRUCTION, ENLARGEMENT, REPAIR, ALTERATION, OR REMOVAL OF A DAM

Date of Application: August 20, 2010
Applicant: Department of Accounting & Contact Name: Emest Y. W. Lau Firm / Company: General Services (DAGS), State of Hawaii
Mailing Address 1151 Punchbowl Street, Room 426, Honolulu, HI 96813
Telephone: 808-586-0526 Fax: 808-586-0521 Email: emest.y.lau@hawaii.gov
The Applicant hereby applies to the Board of Land and Natural Resources for the approval of the attached plans and specification for the Wailua Dam Safety Improvements (construction, etc.) in accordance with Chapter 179D HRS (as amended by Act 262, SLH 2006), and subject to the provisions, conditions, and limitations of the current Hawaii Administrative Rules and various DLNR dam safety guidelines.
Accompanying this application are: (please check)
etc.) in accordance with Chapter 179D HRS (as amended by Act 262, SLH 2006), and subject to the provisions, conditions, and limitations of the current Hawaii Administrative Rules and various DLNR dam safety guidelines. Accompanying this application are: (please check) 1. Filing fee (\$25.00) (Waived for government agencies) 2. Three (3) copies of the Detailed Cost Estimate 3. Three (3) copies of the Final Design Report 4. Three (3) copies of the Plans 5. Three (3) copies of the Specifications 6. Proposed Construction Schedule 7. Supporting documents: Three (3) copies of the Emergency Action Plan for Construction Three (3) copies of the letters of exemption NAME OF STRUCTURE: Wailua Dam
DAM OR RESERVOIR LOCATION: Kapa'a, Kaua'i County,
Island: Kaua'i Tax Map Key: (4) 4-2-001:004
Attach USGS topographic map (scale 1" = 2000') and property tax map (showing location access to site, proposed work)
State Land Use District: X Agriculture Urban Rural Conservation
BRIEF DESCRIPTION OF WORK TO BE PERFORMED Provide vegetation clearing for the upstream, downstream and crest, embankment modifications include upstream slopes to a min. of 1.7H:1
downstream embankment extension from about STA 1+50 to STA 11+00 at 2.5H:1V slope, new embankment section near right abutment,
rock slope protection on upstream slope, downstream berm and blanket drain for potential seepage STA 6+40 to 7+40, modified spillway section 80ft wide open cut at 1% slope for about 337.5 feet, 10 foot wide concrete sill from STA 2+00 to 2+10.

1.	Drainage Area	0.88	_sq. miles or _	563	acres	
2.	Classification of Dam	Size: INTER	MEDIATE	Hazard Classific	eation: HIGH	
3.	Type of Structure E	arthen emb	ankment			
4.	Elevation-Area-Capac	city Data:	Elevation	Surface Area (acres)	Total Storage Volume (acre-feet)	
	Natural Streambe	d	~444'	N/A	N/A	
	Primary Spillway		~478'	N/A	N/A	
	Secondary Spillw	ay	N/A	N/A	N/A	
	Top of Dam		~484'	N/A	N/A	
	Design Water Lev	rel	~481'	~29	~988	
	Invert of Drain		442.91' & 462	2.89' for Main a	nd Lateral respectively	
5.	Secondary: _	Earthen, 60 None	9' wide by 90'			
6.	Purpose of Structure				- 11	
	(1	vater supply,	irrigation, recrea	ation, real estat	e development, etc.)	
7.	Attach rainfall and str	eam flow rec	ords, and flood-	Now records an	d estimates (as accurately	
	as may be readily obta					
	•		annual rainfall is 80-		·	
	DDITIONAL INFORMATION			B.S B.44		
1.	Primary Owner Contact (i			Morris Atta,	Administrator	
	Owner Company or Entity					
	Mailing Address 1151					
	Telephone: 808-587-0	<u>433</u> Fax: <u>8</u>	<u>08-587-0455</u>	Email: dlnr.	land@hawaii.gov	
2.	Registered Hawaii Profess Steve Verigin	ional Engine	er who prepared	the plan GE	Consultants	
	Mailing Address 10860	Gold Cent	er Drive, Suite	e 350, Ranch	o Cordova, CA 95670	
	Registration No. 13646	- CE				
	Telephone: 916-631-45	74 Fax: 9	16-631-4501	Email: sveri	gin@geiconsultants.com	
3.	Registered Professional Englishment (Specific Consultants (Specifi	ngineer to be ecific indivi	responsible for i dual TBD)		ng construction	
1.	Contractor (If known) U	nkown at th	nis time			
•••	· · · · · · · · · · · · · · · · · · ·					
	Mailing Address	Fax		Email:		
	Telephone.	· · · · · _		Eman.		
5.	ist all other permits applications submitted to other governmental agencies:					
	Pending submittal by C Submitted: 404 to USA	ontractor: D CE (AG exc	OH - Commun emption), SCA	ity Noise Perr P (not require	nit, NPDES (Form C & G d).	
5.	Anticipated effect of propo	sed structure	on natural envi	ronment: Min	or increase in footprint of	
	project embankment on	downstrear	n side of dam.			
				-		


1. List all other parties that have ownership or other interest on the parcels where the dam and reservoir are located and identify their interest in the property. The Owners herein listed below concur with the work proposed within this application by the applicant and by his/her signing hereto, the owner of the land extends to the Board of Land and Natural Resources, and its designated representatives, a right-of-entry onto the project site to conduct any investigations or inspections required in compliance with the provisions of Chapter 13-190, Hawaii Administrative Rules. (Submit additional copies of this sheet should there be more owners)


Signature of Owner) Chairperson	1151 Punchbowl St., #220; Honolulu, HI 96813; C (Address / Interest in Dam or Reservoir)
(Signature of Owner)	(Address / Interest in Dam or Reservoir)
Signature of Owner)	(Address / Interest in Dam or Reservoir)
(Signature of Owner)	(Address / Interest in Dam or Reservoir)
(Signature of Owner)	(Address / Interest in Dam or Reservoir)
(Signature of Owner)	(Address / Interest in Dam or Reservoir)
(Signature of Owner)	(Address / Interest in Dam or Reservoir)
(Signature of Owner)	(Address / Interest in Dam or Reservoir)


I, <u>Ernest Y. W. Lau</u> the applicant, hereby certify that the information herein is true and factual to the best of my knowledge. Signing below indicates that the applicant understands that, if the permit requested is granted by the Board of Land and Natural Resources, the proposed work is to be initiated and completed within two (2) years of the approval date, unless specifically permitted in the approved permit terms and conditions.


(Signature of Applicant & Title)


Date: 9/20/10














STATE OF HAWAII DEPARTMENT OF LAND AND NATURAL RESOURCES Land Division Honolulu, Hawaii 96813

September 22, 2010

Board of Land and Natural Resources State of Hawaii Honolulu, Hawaii

Kauai

Issuance of a Right-of-Entry Permit to the Department of Accounting and General Services on State Encumbered Lands, Dams and Reservoirs on Kauai; Dam Maintenance and Remediation Improvements for Aahoaka, Hanamaulu Field 21, Wailua, Upper Kapahi and Lower Kapahi Dams and Reservoirs, in Wailua, Kapaia, and Kapahi, Kauai; Tax Map Keys: (4) 3-9-2:1, 20; 4-2-1:4, 5, 8; 4-6-7:11; 4-4-4:4; 4-6-6:7; 4-6-32:22

APPLICANT:

Department of Accounting and General Services (D.A.G.S.), whose business and mailing address is: 1151 Punchbowl Street; Honolulu, Hawaii 96813, on behalf of the Department of Land and Natural Resources (DLNR).

LEGAL REFERENCE:

Section 171-55, Hawaii Revised Statutes, as amended.

LOCATION:

Portions of Government lands, Dams and Reservoirs on Kauai; Dam Maintenance and Remediation Improvements for Aahoaka, Hanamaulu Field 21, Wailua, Upper Kapahi and Lower Kapahi Dams and Reservoirs, in Wailua, Kapaia, and Kapahi, Kauai; Tax Map Keys: (4) 3-9-2:1, 20; 4-2-1:4, 5, 8; 4-4-4:4; 4-6-7:11; 4-6-6:7; 4-6-32:22, as shown on the attached maps labeled Exhibit A.

AREA:

5,656.77 acres, more or less

ZONING:

State Land Use District: County of Kauai CZO:

Agriculture

Agriculture / Open

TRUST LAND STATUS:

APPROVED BY THE BOARD OF Section 5(B) lands of the Hawaii Admission Act LAND AND NATURAL RESOURCES

DHHI	ـ 30% e	ntitlement	lands	pursuant	to the	Hawaii	State	Constitut	ion:
		_ NO							

CURRENT USE STATUS:

Tax Map Key	Document	Tenant	Purpose
3-9-02:1; 02:20	GEO 4328*	Agribusiness Development Corp.	Agriculture and related purposes
4-2 and 4-6	RP 7310	East Kauai Water Users Cooperative ("EKWUC")	Operation, repair and maintenance of irrigation water diversions and transportation infrastructure system including the right to divert, store, take, draw off, conduct away and dispose thereof government owned water from streams and rivers in the drainage area for irrigation purposes.
4-2-1:4	GEO 1389	DOFAW	Public hunting ground & upland game bird reserve
4-2-1; 4-4-4	GL 3911	KIUC	Electrical transmission lines
4-2-1:8	RP 5567	UH College of Tropical Ag	Agricultural experimental purposes
4-4-4:4	GL 5660**	Sanchez, William & Alison	Pasture purposes
4-6-6:7			
4-6-32:22	LOD 28120	Rodrigues, Gary & John	Access & utility easement

^{*}Pending transfer of Revocable Permits to Agribusiness Development Corporation pursuant to Board approval on April 25, 2008, agenda item D-1.

**GL 5660 covers multiple parcels.

CHARACTER OF USE:

Capital Improvement purposes.

TERM OF RIGHT-OF-ENTRY:

Two (2) years.

CONSIDERATION:

Gratis.

CHAPTER 343 – ENVIRONMENTAL ASSESSMENT:

In accordance with the Division of Land Management's Environmental Impact Statement Exemption List, approved by the Environmental Council and dated April 28, 1986, the subject requests are exempt from the preparation of an environmental assessment pursuant to Exemption Class No. 1 and Exemption Class No. 9. Also, in accordance with Hawaii Administrative Rules, Section 11-200-8(a), the subject request is considered to be exempt from the preparation of an environmental assessment pursuant to Exemption Class No. 1. See Exhibit B.

DCCA VERIFICATION:

Government agency; not applicable.

APPLICANT REQUIREMENTS:

Applicant shall be required to:

1) Obtain written concurrence from tenants prior to any activity on the subject lands.

REMARKS:

Act 213, SLH 2007, Item K-6, as amended by Act 158, SLH 2008 appropriated \$14,530,000 for the Dam Assessments, Maintenance and Remediation Improvements, Statewide, for the purpose of satisfying the State's obligations under Act 262, the "Hawaii Dam and Reservoir Safety Act of 2007".

Governor's Memorandum, dated December 18, 2008, delegated this funding to D.A.G.S. Since DLNR, through its Engineering Division's Dam Safety Program, is responsible for the inspection and regulation of all of the State's dams and reservoirs, D.A.G.S. Public Works Division was delegated the responsibility for managing the assessment, repair, alteration and/or removal of the dams and reservoirs under the Department's jurisdiction because there appeared to be the potential for a "conflict of interest" for DLNR to also be responsible for the party conducting the actual assessment and remediation of these dams and reservoirs.

Part of this \$14,530,000 funding is to remediate five (5) dams and reservoirs on Kauai: Aahoaka, Hanamaulu Field 21, Wailua, Upper Kapahi and Lower Kapahi Dams and Reservoirs. To complete the design and construction of these capital improvements, the D.A.G.S. is requesting a right-of-entry for two (2) years. See Exhibit C.

Comments were solicited from the Office of Conservation and Coastal Lands and the State Historic Preservation Division, and they had no objections.

Staff recommends gratis consideration for the issuance of the requested right-ofentry permit since the applicant is a government agency.

There are no pertinent issues or concerns.

Staff is recommending authorizing the Chairperson to extend the right-of-entry beyond the 2-year term, in the event that D.A.G.S. projects experience unanticipated delays.

RECOMMENDATION:

That the Board, subject to the Applicant fulfilling the Applicant requirements above, authorize the issuance of a right-of-entry permit to the Department of Accounting and General Services covering the subject areas under the terms and conditions cited above, which are by this reference incorporated herein and further subject to the following:

- 1. The standard terms and conditions of the most current right-of-entry permit form, as may be amended from time to time;
- 2. Such other terms and conditions as may be prescribed by the Chairperson to best serve the interests of the State; and
- 3. In the event the projects experience unanticipated delays, authorize the Chairperson to extend the right-of-entry.

Respectfully Submitted,

Lydia M. Morikawa

Special Projects and Development Specialist


APPROVED FOR SUBMITTAL:


aura H. Thielen, Chairperson

Land Board Meeting September 22, 2010; D-1

Attachments

The Land Board amended the submittal by: changing the the term of the right-of-entry permit from two (2) years to one (1) year, renewable annually as needed. Otherwise, the Land Board Approved staff's recommendations as submitted.









STATE OF HAWAII DEPARTMENT OF LAND AND NATURAL RESOURCES LAND DIVISION

POST OFFICE BOX 621 HONOLULU, HAWAII 96809

September 3, 2010

EXEMPTION NOTIFICATION

regarding the preparation of an environmental assessment pursuant to Chapter 343, HRS and Chapter 11-200, HAR

Project Title:

DLNR Dams and Reservoirs on Kauai

Maintenance and Remediation Improvements

Project / Reference No.:

D.A.G.S. Job No. 14-23-7394

Project Location:

Wailua Reservoir (State ID #KA-0060)

Wailua, Kauai County, Hawaii

TMK No.: (4) 4-2-001:004, 005 & 008

Project Description:

Design and repair of the deficiencies of this reservoir – expand and improve the spillway to pass the probable maximum flood (PMF), provide compacted embankment fill for near vertical eroded areas of the upstream slope, and vegetation removal from the dam crest, upstream/downstream slopes and spillway

- to insure public safety.

Chapter 343 Trigger(s):

Use of State funds and on State lands

Exemption Class No. and

Description:

1

In accordance with Hawaii Administrative Rules, Section 11-200-8(a), the subject project is considered to be exempt from the preparation of an environmental assessment pursuant to Exemption Class No. 1, that states: "Operations, repairs or maintenance of existing structures, facilities, equipment or topographical features, involving negligible or no expansion or change of use beyond that previously existing."

The maintenance and improvement project consists of vegetation clearing on the upstream /downstream slopes and crest of the dam and the spillway, repairing the near vertical

Exemption Notification for Wailua Reservoir September 3, 2010 Page 2

> eroded areas of the upstream slope by providing compacted embankment fill and covering with rock fill protection with a 1.7:1 slope, and expanding and improving the spillway to pass the probable maximum flood (PMF) to meet standard dam safety requirements.

The maintenance and improvement project is a single action and not a component or incremental action of a larger total undertaking. There is no cumulative impact as this project will serve to ensure that the Dam will continue to function safely as it has been historically, and it will also be in compliance with the Hawaii Dam Safety Act of 2007. Upon repair, the Dam will serve to maintain a safe environment and simultaneously continue to provide an effective water supply.

Consulted Parties:

State of Hawaii, Dam Safety Program

Recommendation:

It is recommended that the Board find that this request will probably have minimal or no significant effect on the environment and is presumed to be exempt from the preparation of an environmental assessment.

Laura H. Thielen, Chairperson					

DAM SAFETY PERMIT GENERAL CONDITIONS

APPROVAL OF PLANS AND SPECIFICATIONS FOR DAM AND RESERVOIR CONSTRUCTION, ENLARGEMENT, REPAIR, ALTERATION OR REMOVAL

The following General Conditions shall be adhered to for all Dam Safety permits unless otherwise authorized in writing.

- 1. Actual construction, enlargement, repair, alteration or removal shall be completed within 5 years of issuance of the permit application approval unless an extension authorized in writing by the Board is issued.
- 2. Prior to the start of work the owner or applicant shall provide a construction engineer to ensure compliance with the approved plans and specifications and who shall have ultimate responsibility for the supervision of all inspection tasks. The construction engineer may assign some inspection tasks to a duly authorized agent under the construction engineer's supervision. The engineer shall be licensed in the State of Hawaii.
- 3. The construction engineer shall maintain a record of construction that at a minimum, shall include, daily activity, and progress reports, all test results pertaining to construction; photographs sufficient to provide a record of foundation conditions and various stages of the construction through completion, all geologic information obtained; and construction problems and remedies.
- 4. A construction quality assurance plan shall be prepared and submitted to the Department for approval prior to the start of construction, which details the minimum requirements of the construction engineer's observation of construction.
- 5. A construction schedule, which includes the notice to proceed date and estimated project duration and a construction emergency action plan shall be submitted prior to the preconstruction meeting.
- 6. A preconstruction meeting shall be held subsequent to submitting the quality assurance plan, construction schedule and construction emergency action plan, but not later than 14 days prior to the start of construction. All parties actively involved in the construction should be requested to attend, such as the dam owner, the design engineer, the construction engineer, the contractor and the Department.
- 7. The Department shall be notified 5 calendar days prior to the commencement of construction.
- 8. Any changes from the approved plans and specifications shall be approved by the design engineer and a change order, including details and supporting calculations, must be provided to the Department. Major changes must be submitted in writing with supporting documentation and approved in writing by the Department. No work shall be initiated until the approval by the Department or Board is received. Minor changes may be transmitted verbally and approved by the Department verbally provided that documentation of the change is provided to the Department within 10 days of the approval.

- 9. For new dam construction and for dams and reservoirs that have lowered the water level or have been drained to facilitate construction, the construction engineer shall file and obtain approval of a filling plan with the Department. The applicant/owner shall not proceed with the filling of the reservoir until it receives permission from the Department. The construction engineer shall provide documentation of monitoring during the filling operation.
- 10. Prior to the filling of the reservoir, the construction engineer shall submit one copy each of the approved Operations Manual and the approved Emergency Action Plan for the facility upon completion of the project as applicable.
- 11. The construction engineer shall give the Department at least ten days advanced notice of initial materials placement of the dam's foundation, in the cutoff trench, outlet backfill, outlet foundation, and any appurtenance requested by the Department in the approval of the plan for construction observation, to allow for observation by the Department.
- 12. Notice of substantial completion shall be issued by the construction engineer to the Department stating that the permitted improvements are functionally complete such that filling of the reservoir can be initiated with an approved filling plan.
- 13. The construction engineer shall give the Department fifteen (15) calendar days advance written notice prior to the project's final construction inspection. The construction engineer shall coordinate with the Department to conduct this inspection in the presence of the Department's dam safety personnel.
- 14. The construction engineer shall provide notice at least ten (10) days prior to initiating filling the reservoir, unless agreed at the final inspection.
- 15. If conditions are revealed which will not permit the construction, enlargement, repair, alteration, or removal of a safe dam or reservoir, the application for approval for construction, enlargement, repair, alteration, or removal shall be revoked.
- 16.A topographic survey of completed work including all monuments, inverts, crest alignment, spillways, and significant appurtenant features, when required by the Department shall be completed.
- 17. The applicant/owner shall utilize appropriate erosion control best management practice measures during construction to minimize turbidity (such as scheduling of work during period of low stream flow) and prevent debris and construction materials, including concrete, petroleum products, and other pollutants from enter the waters of the State. Construction related water and debris should be properly disposed of in a legal and environmentally safe manner and in accordance with the Department of Health and other Federal regulations.
- 18. The applicant/owner shall submit a copy of the dam safety application and the plans and specifications of the proposed improvements to the County Engineer of the County for which the dam resides for compliance with County codes.
- 19. Within fifteen (15) calendar days of completing the project, the applicant/owner or its representative shall provide the Department with a confirmation letter of compliance, signed and stamped by the construction engineer, indicating that the construction

was completed in accordance to approved plans and specifications including any field changes. The construction engineer shall submit the remaining construction completion documents which may include, but not be limited to, as-constructed drawing, final construction report, topographic survey, record of the location of permanent monuments, log of recorded water levels and other readings from the refilling operation, long-term instrumentation monitoring plan, and affidavit showing the actual cost of construction including engineering costs, within 60 calendar days of the submittal of the final construction inspection.

- 20. Construction completion documents and the construction engineer's certification shall be provided to the Department within 60 days of the final construction inspection. The Department will review the submitted items and furnish acceptance or denial within 60 days of receipt of satisfactorily completed construction completion documents and close out the dam safety permit.
- 21. This permit does not relieve the applicant/owner of their obligations to comply with all applicable Federal, State, and County regulations.